







Shiplap 150	Interlocking Aluminium Cladding System	Profile
<ul style="list-style-type: none"> • Horizontal and vertical install • Contemporary traditional weatherboard appearance 		

Code	Description	Profile Width	Finished Face (mm)	Height	Linear Meters per m2	Weight /m2	Stock Length
ZCSHIP150	Shiplap150	182.6 mm	150 mm	10.7 mm	6.66 lm	7.17 kgs	3500 mm 5000 mm 6500 mm

Step 60	Interlocking Aluminium Cladding System	Profile
<ul style="list-style-type: none"> • Horizontal install only • Stepped weatherboard appearance 		

Code	Description	Profile Width	Finished Face (mm)	Height	Linear Meters per m2	Weight /m2	Stock Length
ZCSTEP60	Step 60	146.83 mm	120 mm	10.7 mm	8.33 lm	5.88 kgs	3500 mm 5000 mm 6500 mm

Step 120	Interlocking Aluminium Cladding System	Profile
<ul style="list-style-type: none"> • Horizontal install only • Stepped weatherboard appearance 		

Code	Description	Profile Width	Finished Face (mm)	Height	Linear Meters per m2	Weight /m2	Stock Length
ZCSTEP120	Step 120	147.34 mm	120 mm	10.45 mm	8.33 lm	5.35 kgs	3500 mm 5000 mm 6500 mm

Linea 190	Interlocking Aluminium Cladding System	Profile
<ul style="list-style-type: none"> • Horizontal and vertical install • Sleek and contemporary flat board appearance 		

Code	Description	Profile Width	Finished Face (mm)	Height	Linear Meters per m2	Weight /m2	Stock Length
ZCLIN190	Linear 190	212.50 mm	190 mm	11.6 mm	5.263 lm	7.83 kgs	3500 mm 5000 mm 6500 mm

Shadow 200	Interlocking Aluminium Cladding System	Profile
<ul style="list-style-type: none"> • Horizontal and vertical install • A flat continuous board with negative detail 		

Code	Description	Profile Width	Finished Face (mm)	Height	Linear Meters per m2	Weight /m2	Stock Length
ZCSHA200	Shadow 200	219.80 mm	200 mm	11.6 mm	5.00 lm	7.88 kgs	3500 mm 5000 mm 6500 mm

Standing Seam 190	Interlocking Aluminium Cladding System	Profile
<ul style="list-style-type: none"> • Vertical install • A vertical interlocking profile with single standing seam 		

Code	Description	Profile Width	Finished Face (mm)	Height	Linear Meters per m2	Weight /m2	Stock Length
ZCSEAM190	Standing Seam	212.50 mm	190 mm	36.6 mm	5.263 lm	8.29 kgs	3500 mm 5000 mm 6500 mm